

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/524,625	01/20/2005	Charles Corneles Van Dongen	8712		
75	90 09/19/2006		EXAMINER		
Grover L Howard 12 Weir Street			CROSLAND, DONNIE L		
Glen Iris, 314	.6		ART UNIT	PAPER NUMBER	
AUSTRALIA			2612		
			DATE MAILED: 09/19/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

					·			
		Applica	tion No.	Applicant(s)	<i>J'</i>			
		10/524,	,625	VAN DONGEN E	VAN DONGEN ET AL.			
	Office Action Summary	Examin	er	Art Unit	<u> </u>			
		DONNIE	E L. CROSLAND	2612				
	The MAILING DATE of this commun	nication appears on t	the cover sheet with t	he correspondence ac	ddress			
WHICH - Extens after S - If NO p - Failure Any rej	RTENED STATUTORY PERIOD F HEVER IS LONGER, FROM THE N ions of time may be available under the provision X (6) MONTHS from the mailing date of this come riod for reply is specified above, the maximum so to reply within the set or extended period for reply by received by the Office later than three months patent term adjustment. See 37 CFR 1.704(b).	MAILING DATE OF sof 37 CFR 1.136(a). In no munication. tatutory period will apply and y will, by statute, cause the a	THIS COMMUNICATE event, however, may a reply will expire SIX (6) MONTHS application to become ABANE	FION. be timely filed from the mailing date of this of the conner (35 U.S.C. § 133).				
Status	,							
_								
	Responsive to communication(s) file This action is FINAL.	ed on 2b)⊠ This action is	non final					
/		,		prospection as to the	a marite is			
•	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositio	n of Claims							
4 5)□ ( 6)⊠ ( 7)⊠ (	Claim(s) <u>1-26</u> is/are pending in the a) Of the above claim(s) is/a Claim(s) is/are allowed. Claim(s) <u>1-10,13 and 14</u> is/are rejectaim(s) <u>11,12 and 15-26</u> is/are obj	are withdrawn from one content of the content of th						
Applicatio	n Papers							
10)⊠ T A	he specification is objected to by the drawing(s) filed on 20 January 2 specificant may not request that any objected the oath or declaration is objected the	2 <u>005</u> is/are: a)☐ acection to the drawing(s g the correction is requ	) be held in abeyance. uired if the drawing(s) i	See 37 CFR 1.85(a). s objected to. See 37 C	FR 1.121(d).			
Priority un	der 35 U.S.C. § 119							
12)⊠ A a)⊠ 1 2	cknowledgment is made of a claim  All b) Some * c) None of:  Certified copies of the priority  Copies of the certified copies  application from the Internations the attached detailed Office actions.	documents have be documents have be of the priority docur onal Bureau (PCT R	een received. een received in Appl ments have been rec ule 17.2(a)).	ication No eived in this National	Stage			
Attachment(s	s)							
	of References Cited (PTO-892)		4) Interview Sumr					
3) 🔲 Informa	of Draftsperson's Patent Drawing Review (i ation Disclosure Statement(s) (PTO/SB/08) No(s)/Mail Date			ail Date nal Patent Application				

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

#### **DETAILED ACTION**

## Specification

The abstract of the disclosure is objected to because such must be submitted of a separate page with no surplus material. Correction is required. See MPEP § 608.01(b).

## Drawings

The drawings are objected to because the proper or a label must be employed for all blocks and circle shown in figure 1 in accordance with 37 CFR 1.84N, O... Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

# Claim Objections

Claims 11, 12, and 15-26 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim cannot serve as a base for another multiple dependent claim. See MPEP § 608.01(n). Accordingly, the claims have not been further treated on the merits.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 13 and 14 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Aggers et al, Kabat et al, or Gurr.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Application/Control Number: 10/524,625

Art Unit: 2612

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gurr.

Gurr shows the security system and provides for bidirectional communication between a master (MCS) and electrical devices CD, see figure 1.

The communication medium is a power line, see cols. 7 and 8.

The artisan recognizes that the programmable means in the substation injection unit may control other electrical devices by nature of the bidirectional characteristics.

The recited request on control reads on the command data of Gurr.

The turn off control signal may be a command and would be obvious.

The remaining claim limitations involve routine skilled of the artisan with respect to programming the computer at the master station or the device.

Art Unit: 2612

Polling is within the capabilities of the skilled artisan and would not involve patentable invention.

The repeatedly sent signal with random timing would not involve patentable invention since the artisan recognizes that signals are repeated for assured reception.

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Barritt, Valiulis, and Cook are cited as showing additional master remote communications.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DONNIE L. CROSLAND whose telephone number is 571-272-2980. The examiner can normally be reached on Mon-Thur. 9:30a-6:00p.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MICHAEL HORABIK can be reached on 571-272-3068. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/524,625 Page 6

Art Unit: 2612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner
Art Unit 2612

DLC 9-14-06